



Buick GMC Product Information Center (PIC) Retrofit Assembly Instructions

BUICK GMC PAGE DECK AND POSTER FRAME INSTALLATION

Tools Required:


Socket wrench
1/2" Socket
Phillips screw driver

Parts list:

(1) Page holder
(1) Snap frame
(1) Snap frame bracket

Hardware list:

(6) 5/16" - 18 X 3/4" Hex
head machine screws
(4) 10-24 X 1/2" Phillips
flat-head machine screws
(3) Page rings
(3) #10-24 wing nuts




Steps:

1. Using the socket wrench and socket, install the snap frame bracket with (2) 5/16" X 3/4" hex head screws. Note the position of the bracket and that it bolts to the upper set of holes.
2. Using the socket wrench and socket, install the new page deck holder with (4) 5/16"-18 x 3/4" hex head screws.
3. Install the snap-frame with the (4) 10-24 x 1/2" flat head screws.

NOTE!

The PIC pages and poster will arrive in a separate carton.



Call Program Headquarters at 1-800-766-5660 with any questions.



A Marmco/Berkshire Hathaway Company

DESIGNED AND PRODUCED BY DCI-ARTFORM, MILWAUKEE, WI

GR 4.03.2024
BGMC-PIC-retro-2024-IS.pdf




Buick GMC Product Information Center (PIC) Retrofit Assembly Instructions

BUICK GMC POSTER INSTALLATION

After you have installed the poster and bracket assembly to the PIC display, please insert the Buick poster in the snap-lock poster frame on the Buick side of the display and the GMC poster on the GMC side of the display. To insert the poster:

1. Flip up each of the four sides of the poster frame.
2. Center the poster on the poster frame backer.
3. While holding the poster in place in the center of the poster (and keeping fingers away from the perimeter), carefully flip each side of the poster frame back down to hold poster in place.



Call Program Headquarters at 1-800-766-5660 with any questions.



A Marmon/Berkshire Hathaway Company

DESIGNED AND PRODUCED BY DCI-ARTFORM, MILWAUKEE, WI

GR 4.03 2024
BGMIC-PIC-retro-2024-IS.pdf

Please note:

The enclosed silver plastic strip is only used when adding a book holder to the back of the display where a book holder was never installed.

Procedure:


1. Removed 2 screws from black plastic top cap.
2. Slide out the existing silver plastic strip from the top of the aluminum extrusion (plastic strip has no holes).
3. Insert new silver plastic strip that has 8 holes.
4. Replace black plastic top cap with 2 screws.
5. Install book holder and poster frame to back of display per separate instruction sheet provided.



Buick GMC Product Information Center (PIC) Retrofit Assembly Instructions

Backside second book and poster channel filler strip notes:

The channel cap is removable via two screws to replace the blank filler strip with a new one that has holes to accommodate the book and poster brackets.



Call Program Headquarters at 1-800-766-5660 with any questions.